

# E504154 Cleaning Wipes

## TECHNICAL DATA SHEET

### Product Description

E504154 is a kit of wipes designed for removing excess CA1000 & CA1010 chrome-free jointing compounds.

- Fast & easy to use
- Economical
- Reduced solvent emissions
- User friendly

### Components

E504154 kit is composed of 10 pre-impregnated wipes packaged in a convenient self-closing and reusable container. The container design prevents the wipes from drying out and promotes a safe working environment.

### Specifications



E504154 meets the requirements of DMR 70-710 Snecma specification

#### **Product Compatibility**

E504154 is compatible with CA1000 & CA1010 Chrome-Free Mastinox

*Note: PPG Aerospace recommends you check the most recent specification QPLs for updated information.*

### Instructions for Use




Remove wipe from container and wipe over the surface to be cleaned. Soils will be absorbed into the cloth. Turn the cloth while wiping to increase cleaning efficiency. Repeat process with a fresh wipe until surface is clear of jointing compound. Allow surface to dry. Reseal container after use to retain solvent content of remaining wipes. Dispose of soiled wipes as hazardous waste in accordance with local waste authority regulations.



**Viscosity:** ( 23°C/73°F)

Not applicable

# E504154 Cleaning Wipes



**Pot Life:**  
Not applicable


## Application Guidelines

**Recommended Application Conditions:**  
Not applicable



**Theoretical Coverage:**  
Not applicable

**Recommended Dry Film Thickness:**  
Not applicable



**Dry Film Density:**  
Not applicable

**Dry Film Weight:**  
Not applicable

**Equipment:**  
Not applicable

## Physical Properties



**Colour:**  
Not applicable



**Gloss:**  
Not applicable

## E504154 Cleaning Wipes



**VOC: (ASTM) of solvent blend**

815 g/Lt



**Flash Point:**


9°C (48°F)

**Shelf Life:**

24 months in original unopened container

*Note: The application and performance property values above are typical for the material, but not intended for use in specifications or for acceptance inspection criteria because of variations in testing methods, conditions and configurations.*

### Storage Recommendations



Inspect the condition of the container to ensure compliance. The material should be stored at temperatures between 5°C to 35°C (41°F to 95°F) to ensure shelf life.

*Note: When procuring to a qualified material specification, follow those storage instructions.*



# E504154 Cleaning Wipes

## Health Precautions

This product is safe to use and apply when recommended precautions are followed. Before using this product, read and understand the Safety Data Sheet (SDS), which provides information on health, physical and environmental hazards, handling precautions and first aid recommendations. An SDS is available on request. Avoid overexposure. Obtain medical care in case of extreme overexposure.

**For industrial use only. Keep away from children.**

**Additional information can be found at: [www.ppgaerospace.com](http://www.ppgaerospace.com)**

**For sales and ordering information call the local PPG office at the numbers listed below:**

### **Asia Pacific**

#### **ASC – Australia**

Tel 61 (3) 9335 1557  
Fax 61 (3) 9335 3490

#### **ASC – Japan**

Tel 81 561 35 5200  
Fax 81 561 35 5201

#### **ASC – South East Asia**

Tel 65 6861 1119  
Fax 65 6861 6162

#### **ASC – Suzhou**

Tel (86-512) 6661 5858  
Fax (86-512) 6661 6868

#### **ASC – Tianjin**

Tel (86-022) 2482 8625  
Fax (86-022) 2482 8600

### **Europe and Middle East**

#### **ASC – Central Europe**

Tel 49 (40) 742 193 10  
Fax 49 (40) 742 139 69

#### **ASC – Middle East & India**

Tel (971) 4 883 9666  
Fax (971) 4 883 9665

#### **ASC – North Europe**

Tel 44 (0) 1388 770222  
Fax 44 (0) 1388 770288

#### **ASC – South Europe**

Tel 33 (0) 235 53 43 71  
Fax 33 (0) 235 53 54 44

### **Americas**

1 (818) 362-6711 or 1-800-AEROMIX

**Desoclean, Desothane, and DeSoto are trademarks of PRC-DeSoto International, Inc.**

All recommendations, statements, and technical data contained herein are based on tests we believe to be reliable and correct, but accuracy and completeness of said tests are not guaranteed and are not to be construed as a warranty, either expressed or implied. User shall rely on his own information and tests to determine suitability of the product for the intended use and assumes all risks and liability resulting from his use of the product. Seller's and manufacturer's sole responsibility shall be to replace that portion of the product of this manufacturer which proves to be defective. Neither seller nor manufacturer shall be liable to the buyer or any third person for any injury, loss, or damage directly or indirectly resulting from use of, or inability to use, the product. Recommendations or statements other than those contained in a written agreement signed by an officer of the manufacturer shall not be binding upon the manufacturer or seller.

PPG Aerospace

Sealants and Coatings

Darlington Road

Shildon, Co Durham UK

DL4 2QP

[www.ppgaerospace.com](http://www.ppgaerospace.com)

Issue Date: 07/15

Lit: 4408